Smithsonian's National Museum of African American History and Culture
(NMAAHC):

Lessons Learned – How Construction Informs Place-making

Learning Objectives

- Accessibility / ADA
- CADD/GIS/REVIT
- Green Roofs / Planting Design
- Security Design
- Site Planning
- Sustainable Development & Design

OurSpeakers



Jill Fortuna, GGN Landscape Architecture



Chihiro Donovan, GGN Landscape Architecture



Duane Krueger, Coldspring Stone Quarrying / Fabrication




Brett Rugo, Rugo Stone Stone Fabrication / Installation







Site seen from Washington Monument-2002, Preconstruction









Timeline:

- Starting in 1988: new bills were introduced annually in the Congress by Rep. John Lewis to create a National African American Heritage Museum and Memorial within the Smithsonian Institution
- 2001: A new bipartisan coalition of Representatives John Lewis and J. C. Watts, Jr., and Senators Sam Brownback and Max Cleland renewed efforts to establish a National Museum of African American History and Culture within the Smithsonian Institution.
- 2003: December 16, Legislation PL 108-184 is passed and signed by President George W. Bush creating a NMAAHC as part of the Smithsonian Institution. At the museum opening, President Bush spoke about the importance placed on assuring a site on the National Mall.
- 2006: January 30, Site selected by the NMAAHC Board of Regents.
- 2008: Design competition announced.
- 2009: April 14, Architectural team of "FABS" Freelon / Adjaye / Bond / Smith Group and Landscape Architects GGN chosen to design the NMAAHC.
- 2012: February 22, Groundbreaking Ceremony
- 2016: September 24, Official Opening of NMAAHC





Site seen from Washington Monument-2016







Team / Collaborators:

ARCHITECTS

The Freelon Group: Architect of Record Adjaye Associates: Design Architect

Davis Brody Bond: Below Grade Architecture

The Smith Group: Core and Shell

LANDSCAPE ARCHITECTS

GGN

STRUCTURAL ENGINEERS

Robert Silman and Associates

Guy Nordenson & Associates

SECURITY

ARUP North America

Weidlinger Protective Design

CIVIL ENGINEERS

RKK

MEP

WSP Flack & Kurtz

FOUNTAIN CONSULTANT

CMS Collaborative

IRRIGATION DESIGN

JL Bruce

GENERAL CONTRACTOR

CMS: Clark / Smoot / Russel

STONE SUB-CONTRACTOR - SITE

Rugo Stone

STONE SOURCE - SITE


Coldspring Granite

Structural Stone, LLC

















Who we are: Diligent, Confident, Creative

- 119 Years in Business
- Over 30 quarries
- 4 Fabrication Facilities and
- a Bronze Foundry









Agencies:

National Capital Planning Commission (NCPC):

The National Capital Planning Commission is the federal government's planning agency for the National Capital Region. The 12-member Commission meets monthly to adopt, approve, or provide advice on plans and projects that impact the nation's capital and surrounding areas. The Commission is supported by a staff of planners, architects, urban designers, and other professionals. The National Capital Planning Commission preserves and enhances the extraordinary historical, cultural, and natural resources and federal assets of the National Capital Region to support the needs of the federal government and enrich the lives of the region's visitors, workers, and residents.

United States Commission of Fine Arts (CFA):

The Commission of Fine Arts is an independent federal agency charged with giving expert advice to the President, the Congress and the federal and District of Columbia governments on matters of design and aesthetics, as they affect the federal interest and preserve the dignity of the nation's capital. The Commission is composed of seven presidentially appointed experts in relevant disciplines including art, architecture, landscape architecture, and urban design.

The Commission reviews designs proposed for memorials, coins, medals, and new or renovated government buildings, as well as privately owned properties in certain areas of Washington under the Shipstead-Luce and Old Georgetown Acts. In addition, the Commission supports a variety of arts institutions in Washington, DC, through the National Capital Arts and Cultural Affairs (NCACA) program.

Advisory Council on Historic Preservation (ACHP):

The Advisory Council on Historic Preservation (ACHP) is an independent federal agency that promotes the preservation, enhancement, and productive use of our nation's historic resources, and advises the President and Congress on national historic preservation policy. The goal of the National Historic Preservation Act (NHPA), which established the ACHP in 1966, is to have federal agencies act as responsible stewards of our nation's resources when their actions affect historic properties.

National Park Service


The National Park Service preserves unimpaired the natural and cultural resources and values of the National Park System for the enjoyment, education, and inspiration of this and future generations. The Park Service cooperates with partners to extend the benefits of natural and cultural resource conservation and outdoor recreation throughout this country and the world.

National Coalition to Save Our Mall (NMC):


The mission of the National Mall Coalition (formerly National Coalition to Save Our Mall), a 501(c)(3) nonprofit organization based in Washington DC, is to provide an organized voice for the public; to advocate comprehensive, visionary planning for the National Mall in the 3rd century; and to work in collaboration with government, nonprofits, and the business sector to implement forward-looking improvements that will ensure the vitality, beauty, and continued active role of this national treasure in the capital and in American life.







National Mall









Relating to the Geometry of the Context











Washington Monument












Building Inspirations















The Story of the Museum Begins Outside









Site Plan










North Wall and Constitution Avenue











Monolithic Retaining Wall










The Entry Path and the Promenade path rise up to symbolize the strength of the African American community rising up over adversity. The Corona's form is an inspiration for this uplifting justure.


Commission of Fine Arts Preliminary Submission - June 20, 2013 | FREELON ADJAYE BOND SMITHGROUP












North Plaza









A Beacon in the Landscape


















Plank Paving










Reading Groves










Reading Grove: Hope and Optimism


























South Plaza and Water Feature










Up early took down to everything self. Han Sursion moved to Stopped in woods Dormouse. Woke a Tresident Lincoln &



Script: Human Expression



View from Building Entry Looking South.




South Water Feature: Words







Movement and Reflection





















Perimeter Walls










Security Parameters and Perimeter



Things to Consider:

- Wall Height
- Wall Width
- Cladding Thickness
- Opening Size
- Angles
- Fall Height





CONSTRUCTION AND DETAILING: North Water Feature Inspiration and Concept


















North Water Feature: Section










Washington Monument













View from Promenade Path Looking West











Integration of Security and Design







The north angle of the profile matches the 17 degree angle of the Corona.



Section









Bollards

At the north entries, the security requirement for a row of bollards is a 1200 millimeter (3"11 1/4") clear maximum spacing, which is determined by the total impact a row of bollards can resist when placed in a series or row. Bollards are placed on a diagonal in relation to the security wall to keep the number of bollards at a minimum across both the east and west entries. This placement was also designed to accommodate the easiest path of travel for visitors. The bollards have a bronze sleeve finish and have a security requirement of 760 mm high minimum, which is roughly 30" tall.




West Entry Path




East Entry Path

CONSTITUTION AVENUE NW




KEY PLAN: North Entries to the site



West Entry Path - bollards at 1200mm clear maximum spacing: plan.

NOTE: 1200 mm = 3'-11 1/4"



East Entry Path - bollards at 1200mm maximum spacing.


NOTE: 1200 mm = 3'-11 1/4"







Bollards










Security and Accessibility

Elevation and perspective showing spacing for security requirements

Elevation




248 mm max. 1248 mm max. Perspective

















View from 14th Street Sidewalk Looking North

























































North Security Perimeter















NMAAHC: Lessons Learned How Construction Informs Place-Making

North and Security Walls



- Main security wall is along north edge and is at a perfect 90 degree angle from footing
- Wall Section width changes along entire length of wall because of arc
- Depending on distance from grade, concrete stem wall along south edge was required in some locations



- East West walls have an angled face which matches the angle of the building façade
- East walls have adjacency to the site flood wall
- All walls have an arc, and had to be carefully measured on site to achieve this arc









NMAAHC: Lessons Learned How Construction Informs Place-Making

Concrete Structure








- BOTTOM OF STONE WALL -TOP OF STONE WALL ABOVE 027 693 TOP OF CONCRETE WALL TO BE SET 250mm BELOW FINISHED TOP OF WALL ELEVATION--STONE PAVER ABOVE TOP OF CONCRETE WALL TO BE SET 100mm BELOW FINISHED TOP OF WALL ELEVATION-TOP OF CONCRETE WALL CORNER PLAN, EAST OF STONE WALKWAY
 - BOTTOM OF STONE WALL -TOP OF STONE WALL ABOVE STONE PAVER ABOVE -----TOP OF CONCRETE WALL TO BE SET 100mm BELOW FINISHED TOP OF WALL ELEVATION TOP OF CONCRETE WALL TO BE SET 250mm BELOW FINISHED TOP OF WALL ELEVATION
- TOP OF CONCRETE WALL CORNER PLAN, EAST OF CONCRETE WALKWAY

- · Concrete follows security minimum distances required
- Wall plan width changes along entire length of wall because of arc
- · Two concrete wall heights were required due to sloping grade





Bollards










Layout by Coordinate Points



COORDINATE TABLE


PT	NOTES	NORTHING	EASTING
PT001		136009 746	397099 211
PT002	ARC1 START	135996 436	397103 438
PT003	ARC2 START	135993 797	397103 438
PT004	ARC3 START	135993 872	397103 976
PT005	ARC4 START	136001 636	397114 817
PT006	PATH & WALL	135997 999	397122 890
PT007	PATH & WALL INTERSECTION	135996 410	397126 247
PT008	ARC6 END	135968 746	397130 032
PT009	ARC7 START	135967 543	397128 909
PT010		135961 150	397123 700
PT011		135959 925	397122 844
PT012		135958 045	397152 075
PT013		135969 143	397151 879
PT014	ARC4 END.	135983 816	397150 014
1 1014	ARC6 START	155565 616	337130 014
PT015	ARC5 START	135981 630	397153 732
PT016		135986 314	397154 830
PT017	ARC11 END, ARC8 START	135984 126	397158 587
PT018		135976 531	397169 309
PT019	ARC5 END	135971 714	397166 991
PT020		136009 746	397211 357
PT021	ARC11 START	136002 389	397198 212
PT022	ARC1 & ARC11 INTERSECTION	135998 068	397188 088
PT023	ARC2 & ARC11 INTERSECTION	135996 465	397184 464
PT024	ARC13 START	135993 865	397206 790
PT025	ARC1 END	135996 860	397207 467
PT026	ARC2 END	135993 768	397207 467
PT027	ARC12 START	135981 642	397207 253
PT028	ARC38 START, ARC12 END	135977 143	397202 233
PT029	ARC8 END, ARC9 START	135971 638	397174 566
PT030	ARC9 END, ARC10 START	135968 666	397176 473
PT031	ARC10 END	135962 102	397178 223
PT032	HAND HOLE	135955 459	397179 676
PT033		135948 304	397178 464
PT034	OCULUS CENTER	135959 692	397162 648
PT035	GROUND HYDRANT	135946 051	397191 611
PT036	ARC13 END	135948 550	397209 391
PT037	FDC PIPE	135949 858	397210 969
PT038	FDC PIPE	135949 012	397210 978
PT039		135945 828	397211 463
PT040		135880 268	397209 191
PT041	ARC15 START	135865 741	397211 462
PT042		135857 154	397209 222
PT043		135855 478	397209 110
PT044	ARC17 START	135856 079	397211 463
PT045	ARC17 END	135854 953	397210 669
PT046	ARC18 START	135855 846	397215 120
PT047	ARC18 END	135851 473	397211 175








Shop Drawings










Shop Drawings










South Security Perimeter












South and East Freestanding Security Walls – Details and Shop Drawings














South Security Walls – Shop Drawings – Review 01 of 03










Sharkstooth Planter Shop Drawings – Review 01










Sharkstooth Planter Shop Drawings – Review 03










3D Model by Coldspring













































NMAAHC: Lessons Learned How Construction Informs Place-Making

































Horizontal and Vertical Locations












Continuous coordination and confirmation


COLDSPRING

GGN





Field Adjustments







































































































NMAAHC: Lessons Learned How Construction Informs Place-Making

































Concept Sketch – View from Promenade Entry at Constitution and 14th Street









View from Promenade Entry at Constitution and 14th Street









View from Promenade Entry at Constitution and 14th Street









View from Promenade Entry at Constitution and 14th Street











When you want to visit the Smithsonian Institution's NMAAHC:

https://nmaahc.si.edu/visit/passes

Our next release for August 2017 passes is on May 3rd at 9 a.m. ET

To ensure the safety, security, and comfort of our visitors, the National Museum of African American History and Culture requires a timed entry pass to visit the museum.

You will receive a confirmation email when you reserve your passes. Please be sure to **check your junk email folder** just in case the confirmation email is delivered there.

To obtain a pass

To improve your chances of receiving passes, be prepared with multiple dates that will work for your schedule and aim for a weekday visit. Click on the date you wish to visit the museum.

Click the drop down menu to view and select available times.

Click on "Confirm Time Slot" to advance to the next page.

You will then be prompted to provide the following information to complete your reservation:

- o Full Name
- o Number of passes desired
- o Email Address

Once you complete the online reservation, the passes will be emailed to the email address you provided. Passes will be sent from Etix.

The end...